Outlook 2013

- 1. Åbn Outlook 2013.
- 2. Øverst på skærmen finder du faner som "File, Home, Send / Receive, Folder and View".
- 3. Klik venligst på "File".
- Når du klikker på Filer skal du få forskellige muligheder, klik venligst på "Kontoindstillinger" og derefter "Kontoindstillinger" igen, som billedet nedenfor viser:



Dobbeltklik venligst på kontoen. Når du dobbeltklikker, får du nedenstående muligheder, og nøjagtigt som det viser, skal du klikke på "Flere indstillinger":

User Information		Test Account Settings
Your Name:	iSAT Test	We recommend that you test your account to ensure that
Email Address:	testAccount@isat.co.za	the entries are correct.
Server Information		Test Assessed Catting as
<u>A</u> ccount Type:	POP3 V	lest Account Settings
Incoming mail server:	pop3.isat.co.za	Automatically test account settings when Next is clicked
Outgoing mail server (SMTP):	smtp.dsl.isat.co.za	Deliver new messages to:
Logon Information		New Outlook Data File
<u>U</u> ser Name:	isat1234	Existing Outlook Data File
Password:	******	Browse
	emember password	
Reguire logon using Secur (SPA)	e Password Authentication	More Settings
		< Back Next > Cancel

Efter "Flere indstillinger" får du dette vindue, hvis ikke, skal du klikke på fanen "Avanceret" øverst.

Picture #1

General	Outgoing Server Advanced
Server Po	rt Numbers
Incomi	ng server (IMAP): 993 Use Defaults
Use	the following type of encrypted connection: SSL
Outgoi	ng server (SMTP): 587
Use	the following type of encrypted connection: TLS
Server Tir	neouts
Short	Long 1 minute
Folders -	
Root fo	Ider path:
Sent Iten	2
✓ Do	not save copies of sent items
Deleted	tems
Mar	k items for deletion but do not move them automatically
lten the	is marked for deletion will be permanently deleted when items in the mailbox are purged.
✓ Purg	e items when switching folders while online

Det kan også se sådan ud::

	ex (examp	ole) Prope	erties	3
ieneral	Servers	Security	Advanced	
Server	Port Numb	ers		
Outg	oing mail (SMTP):	587	Use Default
T	his server i	requires a	secure connecti	ion (SSL)
Inco	ming mail (i	POP3):	110	
Server Shor Sendin	Timeouts t =0 g freak apart	messages	Long 1 min larger than 60	ute
Deliver	y			
VL	eave a cop	by of mess	ages on server	
	Remove	from serve	rafter 5	day(s)
17				

Derfra skal du ændre indstillingerne for serverport til:

 Hvor der står "Server til indgående post (IMAP/POP3)" eller "Indgående post (POP3): For POP3-server: 995 og for IMAP-server: 993

- Under "Brug følgende type krypteret forbindelse" skal du vælge SSL / Hvis det er en lille boks nedenunder (se billede #2) og der står "Denne server kræver en sikker forbindelse (SSL)" skal du klikke på den, så den er krydset af (som det fremgår af billedet nedenfor).
- Hvor der står "Server til udgående post (SMTP)" eller "Udgående post (SMTP)", bedes du udfylde porten: 465

Under "Brug følgende type krypteret forbindelse" skal du vælge SSL (Nogle gange er det også skrevet som: SSL / TLS) / Hvis det er en lille boks nedenunder (se billede #2), og der står "Denne server kræver en sikker forbindelse (SSL)", skal du klikke på den, så den er krydset af (som det vises på billedet nedenfor).

Klik på "Anvend" og "Ok".

Når du gør det, kommer du tilbage til det forrige vindue:

Add Account		×
POP and IMAP Account Se Enter the mail server setti	ttings ngs for your account.	
User Information		Test Account Settings
Your Name:	iSAT Test	We recommend that you test your account to ensure that
<u>E</u> mail Address:	testAccount@isat.co.za	the entries are concet.
Server Information		Test Assessed Cablic as
<u>A</u> ccount Type:	POP3 V	lest Account Settings
Incoming mail server:	pop3.isat.co.za	Automatically test account <u>settings</u> when Next is clicked
Outgoing mail server (SMTP):	smtp.dsl.isat.co.za	Deliver new messages to:
Logon Information		New Outlook Data File
<u>U</u> ser Name:	isat1234	Existing Outlook Data File
Password:	*****	Browse
	emember password	
Reguire logon using Secu (SPA)	re Password Authentication	More Settings
		< <u>B</u> ack <u>N</u> ext > Cancel

Fra dette vindue skal du nu klikke på "Næste"For at indstillingerne skal anvendes.

Det næste trin skal være et vindue, der ligner det nedenfor:

Begge muligheder skal være grønne.

est Account Setting	S			_
Congratulations! All continue.	tests completed successful	ly. Click Close to	Stop	
Tasks Errors				est your account to ensure that
Tasks		Status		
Send test e-ma	ning mail server (IMAP) il message	Completed		ccount settings when Next
Logon information				
cogon information User Name:	e.locarinas@dvp	philippines.c		
Logon Information User Name: Password:	e.locarinas@dvp	philippines.c	Mail to keep offline:	All

Hvis begge muligheder er et rødt "X" (som det røde kryds på billedet nedenfor), er der for det meste et problem med adgangskoden.

Test Acc	count Settings		
Outlook	Outlook is testing the account settings you entered.		
			Close
Tasks	Errors		
Tasks		Status	
XLog	g onto incoming mail server (IMAP)	Failed	
Ser	nd test email message	In Progress	

Luk venligst vinduet fra indstillingen "Luk" øverst til højre i vinduet, og lad resten være åben. Derefter anbefaler vi, at du går til domæneudbyderens websted (For eksempel: Yousee.dk) og ændrer adgangskoden til Mail-programmet.

For e-mailadresser fra Yousee-udbyderen, bedes du tjekke trinene fra Yousees hjemmeside: <u>Skift kode til mailprogram (yousee.dk)</u>

Når adgangskoden til Mail-programmet er ændret, skal du vente 30 minutter, indtil ændringen er registreret i systemet. Udfyld derefter den nye adgangskode i feltet

Adgangskode som billedet nedenfor og klik på "Næste":

User Information		Test Account Settings
Your Name:	Barbara	After filing out the information on this screen, w
E-mail Address:	barbara@verizon.net	button below. (Requires network connection)
Server Information		
Account Type:	POP3	Test Account Settings
Incoming mail server:	pop.verizon.net	
Outgoing mail server (SMTP):	smtp.verizon.net	
Logon Information		
User Name:	barabara@verizon.net	
Password: 🤇	*****	
	Remember password	
Require logon using Secure	Password Authentication (SPA)	More Settings